

# United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/726,968	12/02/2003	Andrew J. Ouderkirk	59418US002	4393
32072	7590 04/24/2007	EXAMINER		
3M INNOVATIVE PROPERTIES COMPANY PO BOX 33427			ARTMAN, THOMAS R	
ST. PAUL, MN	1 55133-3427		ART UNIT	PAPER NUMBER
• '	•		2882	
SHORTENED STATUTOR	Y PERIOD OF RESPONSE	NOTIFICATION DATE	DELIVERY MODE	
3 MO	NTHS	04/24/2007	ELECTRONIC	

# Please find below and/or attached an Office communication concerning this application or proceeding.

If NO period for reply is specified above, the maximum statutory period will apply and will expire 6 MONTHS from the mailing date of this communication.

Notice of this Office communication was sent electronically on the above-indicated "Notification Date" and has a shortened statutory period for reply of 3 MONTHS from 04/24/2007.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

LegalUSDocketing@mmm.com LegalDocketing@mmm.com

·						
	Application No.	Applicant(s)				
	10/726,968	OUDERKIRK ET AL.				
Office Action Summary	Examiner	Art Unit				
	Thomas R. Artman	2882				
The MAILING DATE of this communication a Period for Reply	ppears on the cover sheet wi	ith the correspondence address				
A SHORTENED STATUTORY PERIOD FOR REP WHICHEVER IS LONGER, FROM THE MAILING  - Extensions of time may be available under the provisions of 37 CFR after SIX (6) MONTHS from the mailing date of this communication.  - If NO period for reply is specified above, the maximum statutory perior  - Failure to reply within the set or extended period for reply will, by state Any reply received by the Office later than three months after the main earned patent term adjustment. See 37 CFR 1.704(b).	DATE OF THIS COMMUNION (1.136(a). In no event, however, may a red will apply and will expire SIX (6) MON oute, cause the application to become AE	CATION.  eply be timely filed  ITHS from the mailing date of this communication.  BANDONED (35 U.S.C. § 133).				
Status						
1) Responsive to communication(s) filed on Jai	nuary 30th, 2007.					
2a)⊠ This action is <b>FINAL</b> . 2b)☐ Th	This action is <b>FINAL</b> . 2b) This action is non-final.					
• • • • • • • • • • • • • • • • • • • •						
closed in accordance with the practice under	closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.					
Disposition of Claims						
4) ☐ Claim(s) 1,3-7 and 9-15 is/are pending in the 4a) Of the above claim(s) is/are withdrest is/are mithed 5) ☐ Claim(s) is/are allowed.  6) ☐ Claim(s) 1,3-7 and 9-15 is/are rejected.  7) ☐ Claim(s) is/are objected to.  8) ☐ Claim(s) are subject to restriction and	rawn from consideration.					
Application Papers						
9) ☐ The specification is objected to by the Exami	ner.					
10)⊠ The drawing(s) filed on <u>02 December 2003</u> is/are: a)⊠ accepted or b)⊡ objected to by the Examiner.						
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).						
Replacement drawing sheet(s) including the correct 11) The oath or declaration is objected to by the						
Priority under 35 U.S.C. § 119						
12) Acknowledgment is made of a claim for foreign a) All b) Some * c) None of:  1. Certified copies of the priority docume 2. Certified copies of the priority docume 3. Copies of the certified copies of the priority docume application from the International Bure * See the attached detailed Office action for a lie	ents have been received. ents have been received in A riority documents have been eau (PCT Rule 17.2(a)).	Application No  received in this National Stage				
Attachment(s)  1) Notice of References Cited (PTO-892)  2) Notice of Draftsperson's Patent Drawing Review (PTO-948)  3) Information Disclosure Statement(s) (PTO/SB/08)  Paper No(s)/Mail Date 9/8/06, 10/5/06.	Paper No(	Summary (PTO-413) s)/Mail Date Informal Patent Application				

Art Unit: 2882

#### DETAILED ACTION

#### Terminal Disclaimer

The terminal disclaimers filed on January 30<sup>th</sup>, 2007, disclaiming the terminal portion of any patent granted on this application which would extend beyond the expiration date of any patent granted on application 10/726995 and on application 10/726790 has been reviewed and is accepted. The terminal disclaimer has been recorded.

# Information Disclosure Statement

The information disclosure statements (IDS) submitted on September 8<sup>th</sup>, 2006, and October 5<sup>th</sup>, 2006, are in compliance with the provisions of 37 CFR 1.97. Accordingly, the information disclosure statement is being considered by the examiner. Please see the attached PTO-1449s with the examiner's initials, signature and date considered.

### Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

Claims 1, 5, 6, 9 and 15-17 are rejected under 35 U.S.C. 103(a) as being unpatentable over Miller (US 6,155,699) in view of Schrenk (US 5,540,978).

Art Unit: 2882

Regarding claims 1, 15 and 16, Miller discloses a light source and method of manufacture, (Figs.2-3), including:

- a) (providing) an LED 12 that emits excitation light,
- b) (positioning) a layer of phosphor material 36 positioned to receive excitation light, the phosphor material emitting visible light when illuminated with the excitation light ("primary light," col.3, lines 61-63), and
- c) (positioning and shaping) a non-planar, multilayer reflector 30 being positioned between the phosphor material and the LED, where the reflector transmits the excitation light and reflects visible light ("secondary light," col.3, line 47 through col.4, line 9).

Miller does not specifically disclose that the reflector is flexible or that it is made of a polymeric material that resists degradation when exposed to blue, violet or ultraviolet light.

Schrenk specifically teaches a flexible, all organic (polymeric) multilayer reflector, where the polymer materials are suitable for visible as well as UV operation, since the polymeric materials do not absorb UV or visible light, thus resisting degradation that may be caused by blue, violet or UV light (see Abstract, as well as col.2, lines 62-66; col.5, lines 28++). The use of polymers provides better thermal expansion property matching with Miller's epoxies resins (28 and 22) such that flaws due to thermal fatigue are minimized for improved longevity.

It would have been obvious to one of ordinary skill in the art at the time the invention was made for Miller to use polymeric materials suitable for multilayer reflectors in visible and UV applications, as taught by Schrenk, in order to improve the cost efficiency, weight and longevity of the light source, as taught by Schrenk and as is known in the art.

Art Unit: 2882

With respect to claims 5 and 6, the Miller/Schrenk combination results in the polymeric multilayer reflector having a hemispherical concave shape.

With respect to claim 7, Miller further discloses that the phosphor material is disposed on the multilayer reflector (Figs.2-3).

With respect to claim 9, Schrenk further teaches that the layers are substantially free of inorganic materials (col.3, line 51 through col.4, line 3).

With respect to claim 17, Schrenk further teaches thermoplastic polymers, including polymethylpentene (col.3, lines 64-67). Therefore, during manufacture, the materials are thermoformed.

Claim 3 is rejected under 35 U.S.C. 103(a) as being unpatentable over Miller and Schrenk, as applied to claim 1 above, in view of Weber et al. ("Giant Birefringent Optics in Multilayer Polymer Mirrors"; hereinafter Weber).

Schrenk teaches thermoplastic polymers (incl. polymethylpentene, col.3, lines 64-67).

Neither Miller nor Schrenk teach that at least some of the layers are birefringent.

Weber teaches the known advantages of making at least some of the layers in a multilayer stack birefringent, providing improved reflectivity properties in order to decrease the amount of light that is reflected back to the source, thus improving light output efficiency.

Art Unit: 2882

It would have been obvious to one of ordinary skill in the art at the time the invention was made for at least some of the layers of the polymeric multilayer reflector of the Miller/Schrenk combination to be birefringent in order to improve the efficiency of the device, as suggested by Weber.

Claims 4 and 10-14 are rejected under 35 U.S.C. 103(a) as being unpatentable over Miller and Schrenk, as applied to claim 1 above, in view of Levinson (US 6,653,765).

With respect to claim 4, Miller does not disclose the use of a UV excitation light. The excitation light of Miller is blue.

Levinson teaches the use of LEDs that produce excitation light of UV and/or blue light in the GaN family of LEDs, where the UV emittance is used solely to stimulate the phosphor, and the blue light is also used to stimulate the phosphor. The bands are often emitted simultaneously by the same device (UV/blue LED).

It would have been obvious to one of ordinary skill in the art at the time the invention was made for Miller to use UV excitation light as suggested by Levinson and as is known in the art, since UV and blue wavelengths are functional equivalents, and further providing the advantage of being able to use more types of phosphors that are stimulatable by UV wavelengths much more efficiently than by blue wavelengths.

Art Unit: 2882

With respect to claims 10 and 11, Miller does not disclose that the phosphor material is discontinuous, or more specifically, being made of a plurality of dots.

Levinson specifically teaches the use of a discontinuous, powdered (dots) phosphor material (col.8, lines 40-42). In this way, light conversion is more efficient than a phosphor in bulk form (see Abstract, as well as col.2, lines 27-32).

It would have been obvious to one of ordinary skill in the art at the time the invention was made for Miller to use a discontinuous phosphor as a plurality of dots as taught by Levinson for the purpose of improving light generation efficiency.

With respect to claim 12, Levinson does not specifically teach the size of the phosphor dots, specifically having areas less than 10,000 square microns. Levinson does teach, however, that the size of each dot needs to be sufficient for most of the UV/blue light to be converted to yellow light (col.8, lines 46-48).

Therefore, it is within routine experimentation of the skilled artisan to determine the optimum area of the dots of phosphor for the excitation light to be converted to secondary light.

It would have been obvious to one of ordinary skill in the art at the time the invention was made for the Miller/Levinson combination to have dots having areas smaller than 10,000 square microns, since it has been held that discovering an optimum value of a result effective variable involves only routine skill in the art. One would have been motivated to make the dots with areas smaller than 10,000 square microns for the purpose of improving light conversion efficiency In re Antonie, 559 F.2d 618, 195 USPQ 6 (CCPA 1977) See also In re Boesch, 617 F.2d 272, 205 USPQ 215 (CCPA 1980).

Art Unit: 2882

With respect to claims 13 and 14, Levinson further teaches that the phosphor dots emit light red, green and blue light when illuminated with excitation light, and further that multiple types of phosphors may be mixed together (col.7, line 64 through col.8, line 24 and lines 41-48).

## Response to Arguments

Applicant's arguments filed January 30<sup>th</sup>, 2007, have been fully considered but they are not persuasive. Applicants argue that the combination of Miller and Shrenk is impermissible at least because the polymers of Shrenk would not provide appropriate thermal expansion matching to the glass components of Miller, as asserted by the Office action. The examiner respectfully disagrees.

Miller cites that the encapsulant 28 and lens 22 can be made of epoxy or glass. The combination does not have to be obvious for every possible embodiment of either or both prior art references. Therefore, there are embodiments in the disclosure of Miller that, when combined with the polymeric multilayer reflectors of Shrenk, would provide improved thermal coefficient matching with the epoxies of Miller. As is known in the art, Miller's ceramic mirror of titanium oxides and silicon oxides provide good thermal expansion coefficient matching with glass. As is also known in the art, Miller's embodiments that use epoxy would obviously benefit from a polymeric mirror in order to improve the longevity of the device and manufacturing reliability by matching the thermal expansion properties of all materials involved as much as possible.

Therefore, Applicants' arguments are not persuasive, and the rejections have been maintained above.

Art Unit: 2882

### Conclusion

THIS ACTION IS MADE FINAL. Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE.

MONTHS from the mailing date of this action. In the event a first reply is filed within TWO

MONTHS of the mailing date of this final action and the advisory action is not mailed until after
the end of the THREE-MONTH shortened statutory period, then the shortened statutory period
will expire on the date the advisory action is mailed, and any extension fee pursuant to 37

CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event,
however, will the statutory period for reply expire later than SIX MONTHS from the mailing
date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Thomas R. Artman whose telephone number is (571) 272-2485.

The examiner can normally be reached on 9am - 5:30pm Monday - Friday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Ed Glick can be reached on (571) 272-2490. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/726,968 Page 9

Art Unit: 2882

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Thomas R. Artman Patent Examiner

EDWARD J. GLICK SUPERVISORY PATENT EXAMINER